



**IMAGE 1**

**SOLAR SPOT LIGHTS**



## TECHNICAL SPECIFICATIONS

Technical Speficiaions	
Epistar SMD LED	3W ( Green+yellow+Blue )
LED QTY	3*1pcs
Battery Type	3.7V 2200mAh, Li-ion,
Solar Panel	3W PET Laminated Plate 168MM*142MM*28MM 3M waterproof cable
Charging method	Solar power
Solar charging time	6-8 hrs by bright sunshine
Lighting time	12hrs after full charged
Sensor	Light sensor
Lighting mode	Light control automatic for lighting , more than 12hrs
Material	Aluminum + Glass
IP level	65
Working Temperature	-25°C ~ 65°C
Warranty	1 year
Certificate	CE,ROHS ,FCC , ISO9001:2015
Installation height	15CM
Package	Plain box : 16.5*23.5*6.5CM G.W:0.9KG 28PCS , G.W:26KG 40GP 20300(pcs) 40HQ 23000(pcs) CTN Size:47*48*35CM 20GP 9800(pcs)

■ Features :

### Polycrystalline silicon solar panel

High light energy conversion rate, fast charging and long lighting



### Bright LED light source

Double gold wire exudes high brightness, good color rendering, effective heat dissipation and long-term use

### Convenient installation

No tools required  
easy and quick installation



1 Directly inserted underground

2 wall-mounted light

